



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





U.S. Department of Transportation
National Highway Traffic Safety
Administration

CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

PSU 02

CASE NO. <u>140A</u>

TYPE OF ACCIDENT Minivan vs. Trees/Fire

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. <u>Do not include any personal identifiers.</u>)

SEE ATTACHED

		B. VEHIC	CLE PROFILE(S)		
	Class		Most Seve Based on Vehi			
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Severity Description	Component Failure	
	,					
					,	
			t			

DO NOT SANITIZE THIS FORM

C. PERSON PROFILE(S)										
Vehicle	Person	Seat	Restraint		Injury ZONE CENTER)					
No.	Role	Position	Use	Body Region	Injury Type	AIS	Injury Source			
					·					
		ŕ		·	·					
			·							
							·			

Body Region

Abdomen
Ankle-foot
Arm (upper)

Back-thoracolumbar spine

Brain
Chest
Ears
Eye
Elbow
Face
Forearm

Forearm Head—skull Heart Kidneys

Kidneys Knee Leg (lower) Liver

Lower limbs(s) (whole or unknown part)

Mouth

Neck-cervical spine

Nose

Pelvic-hip

Pulmonary—lungs

Shoulder Spleen Thigh

Thyroid, other endocrine gland

Upper limb(s) (whole or unknown

part) Vertebrae Whole body Wrist-hand

Injury Type

Abrasion
Amputation
Avulsion
Burn
Concussion
Contusion
Crush

Detachment, separation

Dislocation

Fracture

Fracture and dislocation

Laceration Other

Perforation, puncture

Rupture Sprain Strain

Total severance, transection

Unknown

Abbreviated Injury Scale

(1) Minor injury

(2) Moderate injury

(3) Serious injury

(4) Severe injury

(5) Critical injury

(6) Maximum (untreatable)

(7) Injured, unknown severity

DO NOT SANITIZE THIS FORM

PSU02 1995 Case Summary Form CASE 140A TYPE OF ACCIDENT: MINIVAN VS. TREES/FIRE

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

Vehicle #1 traveling west on two lane undivided roadway negotiating a curve to the left with a negative grade. Vehicle #1 drives off right side of roadway swiping 2 trees with right side and then striking a large tree with front of vehicle. Vehicle then catches fire and is destroyed. Vehicle #1 was towed due to damage. Operator was fatally injured.

PSU02 CASE 140A

. . . .

1995 Case Summary Form

TYPE OF ACCIDENT: MINIVAN VS. TREES/FIRE

B. VEHICLE PROFILE(S)

v e h. No	Class of Vehicle	Year/Make/ Model	Damage Plane	Severity Descr.	Component Failure
1	minivan	93 Chrysler Town and County	front	severe	fire ? unknown

PSU02 CASE 140A 1995 Case Summary Form

TYPE OF ACCIDENT: MINIVAN VS. TREES/FIRE

C. PERSON PROFILE(S)

1	driver	1/front	unknown	heart	loceration	6	steering wheel
e h. No	Person Role	Seat Positon	Restraint Use	Body Region		A I S	Injury Source
V							

PSU 02 / CASE 140 A -95 1:30 PM

89 KPH

CURVE LEFT / - 5% GRADE

BIT / DRY

SCALE: 1/250

AP - Pole

(VEHRLE BURUS)

18 cm diam tree

23 cm diam tree

EMBANKINENT



U.S. Department of Transportation National Highway Traffic Safety Administration

ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary Sampling Unit Number 02 Case Number - Stratum **ACCIDENT COLLISION DIAGRAM** Document vehicle dynamics including: CRASH DATA Document the physical plant: reference point and reference line relative VEH. #1 VEH. #2 VEH. #3 * all road/roadway delineation (e.g., curbs/edge lines, lane markings, median to physical features present at the scene markings, pavement markings, parked 270 vehicles, poles, signs, etc.) scaled documentation of all accident Heading Angle induced physical evidence * all traffic controls (e.g., speed limit) Surface Type scaled documentation of all roadside * north arrow placed on diagram objects contacted Surface * roadway surface type and condition of scaled representations of the vehicle(s) at Condition pre-impact, impact, and final rest based applicable roadways upon either: Coefficient of grade measurements for all applicable Friction roadways and at location of rollover a) physical evidence, or initiation Grade (v/h) Measurement b) reconstructed accident dynamics * roadway curvature (between impact and final rest) Grade (v/h) Measurement (at location of rollover initiation) mouth modedan Reference Point: Reference line:

Reference Point:	Reference line:/γιοι -t	11 Podceeds
ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
24" diam tree	8.4E	1.5 N
to	9.E	1.5 N
7" diam thee	17.4E	a.9N
9" diam tree	20.7E	3.IN
poss track reads	20.7E	2.9N
	30 E	2.4N
11 "	40 E	1.9N
" "	50.E	1.2 N
track leaves road	55.4E	0

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	· · · · · · · · · · · · · · · · · · ·	-
		·
		1
		I

ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Administration		AUGIDE		(RASHWORTHINESS	DATA SYSTEM
		0.0	S	SPECIAL STUDIES	- INDICATO	RS
 Primary Sampl Case Number 		<u>02</u> _140A 	that h	(√) each special states as been completed; I studies and 0 for ad.	code 1 for the	e checked
			CHOOK			
3. Number of Gel Forms Submitt		01	6	SS15 Administr	ative Use	
4. Date of Accide	ent		7	SS16 Pedestrial		udy <u>0</u>
(Month,Day,Y	ear)	/ 9 5	8	in a separate file.) SS17 Impact Fi	res	_1_
5. Time of Accid		1330	9.	SS18 Unsafe D	river Actions	0
Code repo	rted military time	of accident.	_			
	dnight = 2400 known = 9999		10	SS19		
				NUMBER O	F EVENTS	
				lumber of Recorded I n This Accident	Events	04
				Code the number of en this accident.	events which oc	curred
		ACCIDE	NT EVEN	TS	· · ·	
	that occurred in the or object in the r	ne accident, code the	-	nbered vehicle in the l	eft columns and	the other
Accident Event			General	Vehicle Number		General
Sequence Number	Vehicle Number	Class Of Vehicle	Area of Damage	or Object Contacted	Class Of Vehicle	Area of Damage
12. 0 1	13. 0	14. <u>20</u>	15. <u>R</u>	16. <u>42</u>	17. 00	18
19. <u>0 2</u>	20. 0	21. <u>20</u>	22. <u>R</u>	23. <u>42</u>	24	25.
26. <u>0</u> <u>3</u>	27. 0	28. <u>20</u>	29. <u>F</u>	30. <u>4</u> <u>a</u>	31. 00	32.
33. <u>0 4</u>	34. <u>O</u>	35. <u>20</u>	36. <u>N</u>	37. <u>3</u> 3	38. <u>D</u>	39. <u>N</u>

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

40. <u>0 5</u> 41. ___ 42. ___ 43. ___

		, <u>-</u> -		
	PRECRASH ENVIRONMENTAL DATA	25	Roadway Surface Condition	1
		∠ 5.	Roadway Surface Condition (1) Dry	<u> </u>
19.	Relation To Interchange Or Junction	•	(1) Dry (2) Wet	
	(0) Non-interchange area and non-junction		(3) Snow or slush	
	(1) Interchange area related			
	•		(4) Ice	
	Non-Interchange junctions		(5) Sand, dirt, or oil	
	(2) Intersection related	1	(8) Other (specify):	
	(3) Driveway, alley access related		(9) Unknown	
	(4) Other junction (specify)	1	•	1
		26.	Light Conditions	1 1
	(5) Unknown type of junction		(1) Daylight	
			(2) Dark	
	(9) Unknown		(3) Dark, but lighted	
	•		(4) Dawn	
			(5) Dusk	
20.	Trafficway Flow		(9) Unknown	
	(0) Not physically divided (two way traffic)			
	(1) Divided trafficway-median strip without	1		
	positive barrier	27.	. Atmospheric Conditions	\mathcal{O}
	(2) Divided trafficway-median strip with positive		(0) No adverse atmospheric-related driving	
	barrier	1	conditions	
	(3) One way traffic		(1) Rain	
	(9) Unknown	1	(2) Sleet/hail	
1		1	(3) Snow	
	North at Of Taxable and		(4) Fog	
21.	Number Of Travel Lanes		(5) Rain and fog	
	(1) One		(6) Sleet and fog	:
	(2) Two	1	(7) Other (e.g., smog, smoke, blowing sand of	or
	(3) Three		dust, etc.) (specify):	
	(4) Four			
	(5) Five	1	(9) Unknown	
	(6) Six	1		\sim
	(7) Seven or more	28	. Traffic Control Device	$\mathcal{O}_{\mathcal{A}}$
	(9) Unknown		(O) No traffic control(s)	
	2		(1) Traffic control signal (not RR crossing)	
22.	Roadway Alignment			
1	(1) Straight		Regulatory	
l	(2) Curve right		(2) Stop sign	
	(3) Curve left		(3) Yield sign	
1	(9) Unknown	1	(4) School zone sign	
			(5) Other regulatory sign (specify):	
22	Pondwov Profile	1		
23.	Roadway Profile (1) Level		(6) Warning sign (not RR crossing)	
1	(2) Uphill grade (>2%)		(7) Unknown sign	
	(2) Ophili grade (>2%) (3) Hill crest		(8) Miscellaneous/other controls including RF	?
1			controls (specify):	
Į	(4) Downhill grade (>2%)			
İ	(5) Sag ·		(9) Unknown	
	(9) Unknown			
	^			\bigcirc
24.	Roadway Surface Type	29). Traffic Control Device Functioning	$\frac{\mathcal{L}}{\mathcal{L}}$
	(1) Concrete		(0) No traffic control device	
	(2) Bituminous (asphalt)		(1) Traffic control device not functioning	
	(3) Brick or block		(specify):	
1	(4) Slag, gravel, or stone		(2) Traffic control device functioning properly	У
.	(5) Dirt		(9) Unknown	
ĺ	(8) Other (specify):	1		
l	(9) Unknown			

Page 5

National Accident Samplin	ig System-Clashworthiness Data	O y S		Jeneral Veniole Form		
OCCUPA	NT RELATED	44.	Vehicl	e Cargo Weight Onearest	<u>O</u> é	20
37. Driver Presence in V (0) Driver not present (1) Driver present (9) Unknown			(450)	10 kilograms	tow h	utch come
for this vehicle (97) 97 or more	ts This Vehicle O \ \ number of occupants		Source	ROLLOVER DATA	سى	
(99) Unknown 39. Number of Occupan	t Forms Submitted 01			No rollover (no overturning)	-	
AIR BA	G RELATED		1-16)	<i>rer (primarily about the longitudi</i> Code the number of quarter to	<i>riai axi</i> s urns	'
(4) VIN determined	known) r determined	·	(17) (98) (99) Rollov	Rollover, 17 or more quarter to (specify): Rolloverend-over-end (i.e., postport) about the lateral axis) Rollover (overturn), details under Initiation Type	turns rimarily	00
(passive) belts 41. Air Bag(s) Deployme (0) Not equipped o (1) No air bags dep Single Air Bag Vehic (2) Driver air bag de	r not available bloyed ble		(01) 7 (02) F (03) 7 (04) 0 (05) F	No rollover Frip-over Flip-over Furn-over Climb-over Fall-over Bounce-over		
(3) Driver air bag, Multiple Air Bag Vel (4) Driver side only (5) Passenger side (6) Driver and pass (7) Driver and pass deployed (8) Air bag(s) deple (9) Unknown 42. Air Bag(s) Deployme Seat Frontal	unknown if deployed nicle deployed only deployed senger side deployed senger side unknown if oyed, details unknown	47.	(07) (08) (198) (199) (1	Collision with another vehicle Other rollover initiation type special and the rollover initiation type special and the rollover initiation type ion of Rollover Initiation No rollover On roadway On shoulder—paved On shoulder—unpaved On roadside or divided trafficway Rolloverend-over-end		<u> </u>
(1) Deployed durin impact) (2) Deployed inadv (3) Deployed, deta (4) Deployed as a	g accident (as a result of rertently just prior to accident ils unknown result of a noncollision event		Rollov (Note:	ver Initiation Object Contacted Applicable codes on back of page) ion on Vehicle Where Initial Prin		0
during accident explosion, elect (5) Unknown if de (7) Nondeployed (9) Unknown Specify type of "other	bloyed		(0) (1) (2) (3) (4)	ing Force Is Applied No rollover Wheels/tires Side plane End plane Undercarriage Other location on vehicle (specif	·y):	
			(6)	Non-contact rollover forces (spe	cify):	
	WEIGHT ITEMS	j		Rolloverend-over-end Unknown		
10 kilogr (045) Less thar (610) 6,100 kil	ight to nearest 1 9 1 ams. 1 450 kilograms ograms or more 1 9 0 6		Direc (0) (1)	tion of Initial Roll No rollover Roll right - primarily about the lo axis Roll left - primarily about the lon	_	i
999) Unknowr 1, 103 1, 103 Source: 95	lbs X .4536 = 4,86 t kgs // kgs	14. 14. 15.	. (8) ∆⊘	Rolloverend-over-end Unknown roll direction		

(401 93 year)

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover	(57) Fence
(01-30) — Vehicle Number	(58) Wall
	(59) Building
Noncollision	(60) Ditch or culvert
(31) Turn-over — fall-over	(61) Ground
(32) No rollover impact initiation (end-over-end)	(62) Fire hydrant
(34) Jackknife	(63) Curb
	(64) Bridge
Collision With Fixed Object	(68) Other fixed object (specify):
(41) Tree (≤ 10 cm in diameter)	
(42) Tree (> 10 cm in diameter)	(69) Unknown fixed object
(43) Shrubbery or bush	
(44) Embankment	Collision with Nonfixed Object
	(70) Passenger car, light truck, van, or other
(45) Breakaway pole or post (any diameter)	vehicle not in-transport
	(71) Medium/heavy truck or bus not in-transport
Nonbreakaway Pole or Post	(76) Animal
(50) Pole or post (≤ 10 cm in diameter)	(77) Train
(51) Pole or post (> 10 cm but ≤ 30 cm in	(78) Trailer, disconnected in transport
diameter)	(79) Object fell from vehicle in-transport
(52) Pole or post (> 30 cm in diameter) (53) Pole or post (diameter unknown)	(88) Other nonfixed object (specify):
(00) 1 010 01 pool (diameter diameter)	(89) Unknown nonfixed object
(54) Concrete traffic barrier	(OO) OTHEROVER HOMENOUS OBJOOL
(55) Impact attenuator	(98) Other event (specify):
(56) Other traffic barrier (includes guardrail)	(ob) other orange (opening)
(specify):	(99) Unknown event or object
•	




U.S. Department of Transportation

HS Form 435A (Rev. 1/95)

•	y Traffic Safety	EX	TERIOR	VEHIC	CLE F	ORM	NA'	TIONAL AC	CIDENT'S	SAMPLING ESS DATA	SYSTEM SYSTEM
	/ Sampling Unit Nur		0 &	3.	Vehicle	Numbe	fighter) or		발화 12년	_0	<u> </u>
	lumber - Stratum	-1	401	7							
- * .			VEHICLE I	DENTI	FICATI	ON					
Ų.	uable to g	et Gro	m vel	ucle	- 1	يالرده	lau	atub	for	we (}
VIN	<u> </u>	5 HOR	3 P	X	and the second section of the section o		<u> </u>	<u>-</u> , !	Model Y	ear	15_
Vehicle Ma	ke (specify):	ZHRYSLER			Vehicle I	Model (s	pecify):	То	4 NW	<u> </u>	TRY
			L(OCATO	R	-,					
Locate the	end of the damage maged axle for side	with respec				center	line or t	oumper o	corner fo	or end i	mpacts
Specific Impa	· ·	f Direct Dama	ige		Location	of Field I		L	ocation o	f Max Cr	ush
3	49 starts	8 cm > c	euter	eutu	e fro	mt		С	<u>گ</u>		
1+2	® side	251 Star			7			1000			
		15 g	1000	er e						w 1 1 2	
		CRU	SH PROF	ILE IN	CENTIN	/IETER	S				
LINE CF	npacts. ree space value is c he individual C loca ide taper, etc. Rec Jse as many lines/co	tions. This ord the valu	may includue for each	le the fo	llowing: irement	bumper and ma	r lead, b iximum	oumper t crush.	body co aper, si	ontour t de prot	aken at rusion,
Specific Impact Number	Plane of Impact C-Measurements	Direct I Width (CDC)	Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C₅	C ₆	±D
3. 3	(Irame)	49	C2	106	51.5	63	61	51.5	33	19	
0 V VV XXX V 3	(Quee)				15	4	a	೩	4	15	-32,0
3	Jucel	49	59	106	36.5	59	59	55.5	29	4	-37.5
<i>'</i>	O		,				ļ	ļ		 	-
		251	1	 		à.	- 7 4				
	(R) side	251	unto 1				<u> </u>	 			+
	OVERLAPS	5 50	DIPE I	HINH			<u> </u>	 		<u> </u>	-
2	® side						 	 	 	†	1
<u>~</u>	Sice	1	 	1						†	
											判が3.00mg。 第一次
	Ī	1			1	1	1				

ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	19.3 inches	x 2.54	=	<u>303</u> cm
Overall Length	<u> 192.8</u> inches	x 2.54		4 <u>90</u> cm
Maximum Width	$\underline{72.0}$ inches	x 2.54	=	183 cm
Curb Weight 4163 ph	4,103 pounds	x .4536	=	<u>1,861</u> kg
Average Track	61.0 inches	x 2.54	-	_ <u>/5</u> 5_cm
Front Overhang	$\underline{33.4}$ inches	x 2.54	= '	-85cm
Rear Overhang	<u>4</u> <u>0</u> . <u></u> inches	x 2.54	=	_ <u>102</u> cm
Undeformed End Width		x 2.54	=	
Engine Size: cyl./displ.	cc	x .001	=	
	CID	x .0164	=	<u>3.3</u> ι
	VG			



Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

received on the back of this page.

			CDC W	ORKSHE	T			
		CC	DDES FOR O	BJECT CON	TACTED			
(01-30)	- Vehicle Num	ber		(58) Fence) Wall			
Noncolli	sion) Building			
(31)	Overturn - rolle	over (excludes	end-over-end) Ditch or	culvert		
(32)	Rollover-end-o	ver-end		•) Ground			
	Fire or explosion	n) Fire hyd	rant		
	Jackknife) Curb			
(35)	Other intraunit	damage (specif	y):) Bridge) Other fix	ked object (s	pecify):	
	Noncollision inju Other noncollisi			(69) Unknow	n fixed obje	ct	
		_		·	-	onfixed Obje		
(39)	Noncollision —	details unknow	'n			er car, light		or other
Calliala	a With Eight Ohi	iect		(70		not in-transp		
	n With Fixed Obj Tree (≤ 10 cm			(71		/heavy truck		in-transport
	Tree (> 10 cm) Pedestri			•
	Shrubbery or bu) Cyclist			
	Embankment	3011				onmotorist o	r conveyand	ce
(45)	Breakaway pole	e or post (any d	liameter)) Vehicle	occupant		
		_			3) Animal			
	akaway Pole or I				7) Train	disconnected	d in transpor	rt
	Pole or post (≤			(78	3) Trailer,	fell from veh	iolo instranci	nort
(51)	Pole or post (>	10 cm but ≤	30 cm in	(/:	Object	onfixed obje	ct /enecify):	port
	diameter)	00 !!		(8)	o) Other n	onnxed obje	ct (specify).	
	Pole or post (> Pole or post (di			(89) Unknow	vn nonfixed	object	
(54)	Concrete traffic	barrier		(98	3) Other e	vent (specify	/):	
(55)	Impact attenua	tor						
(56)	Other traffic ba	rrier (includes s	guardrail)	(99	3) Unknov	vn event or o	object	
	(specify):							·
		DEFORMA	TION CLASS	IFICATION B	4.41	/ * ` \		
1		(4) (0)			(4) Specific	(5) Specific	(6)	
Accident Event	Ţ	(1) (2) Direction	Incremental	(3)	Longitudinal		Type of	(7)
Sequence	e Object	of Force	Value of	Deformation	or Lateral	Lateral	Damage	Deformation
Number	•	(degrees)	Shift	Location	Location	Location	Distribution	Extent
01	42	0 1 0	00	R	P	E	5	OD
1 ~~~	_ <u></u> _	\sim \sim		$\overline{\mathcal{Q}}$	ラ	A	5	403
1 _0 _	42	0 1 0	$\underline{}$	<u> </u>	<u>~</u>		<u> </u>	
103	42	010	00	F	7	<u>E</u>	<u>u</u>)	(03)
04	- FIRE						CANDO	TVERIFI
								iny data
							provide.	/
							/	
							UUSURE	P other 2

National Accide	ent Sampling S	System-Crashv	worthiness Dat	a System: Exte	erior Vehicle F	orm	Page 4
				TION CLAS			
HIGHEST D	ELTA "V"						
Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. 03	5. <u>42</u>	6. 12	7. <u>F</u>	8	9 <u> </u>	10.4	11.03
•	ghest Delta "V'			COC FOR COC	11-#2	_	
12. 0 2	13. 42	14. 12	15. <u>R</u>	16. Z	17. A7	18. <u>S</u>	19. <u>03</u>
					BASED	pon tere has	HCONTACT
		CRUS	H PROFILE	IN CENTIM	IETERS		
	The crush prof in the appro	ile for the dar opriate space	mage described below. (ALL N	I in the CDC(s)	above should IS ARE IN CEN	be documente ITIMETERS.)	e d
HIGHEST I	DELTA "V"						
20. L	21. 				C ₅	C ₆	22.
<u>157</u>	037	059	059	056	<u> </u>	04	5 <u>033</u>
Second Hi	ghest Delta "V	п					
23. 	24. 		C ₃	C ₄	C ₅	C ₆	25. ±D
	· <u>-</u>		<u> </u>	<u> </u>		. -	+
(Coded impact (250) (998)	ormed End Widt I when highest is an end plane Code to the ne 250 centimete No highest sev Unknown	severity e impact.) earest centimet rs or more		(650) (999)	cal Wheelbase Code to the recentimeter 650 centimeter Unknown 1.3 inches	ers or more	303 3 centimeters
27. Direct (For hi)	Damage Width ghest severity in Code to the new 250 centimete Unknown	arest centime	<u>049</u> ter	(185)	code to the recent to the rece	nearest	155 5_ centimeters

		FUEL SYSTEM	
OX 25 1	locat	ion of Fuel Tank-1 Filler Cap	4
			0
		ion of Fuel Tank-2 Filler Cap	_ <u>~</u>
	,		
	(1)	Aft of center of the rear wheels (rear	axle)
	(2)	on left side plane	
 ,	131	Aft of center of the rear wheels (rear	axle)
1 1		on right side plane	
	(4)	Forward of center of the rear wheels	(rear
		avie) on left side plane	
	(5)	Forward of center of the rear wheels	(rear
1		ayle) on right side plane	
l	(6)	Over the center of the rear wheels (re	ear
		axle) on left side plane	
0	(7)	Over the center of the rear wheels (re	ear
<u> </u>			
	(8)		
	(9)	Unknown	_
			C
37.	Type	e of Fuel Tank-T	_
38.	Type	e of Fuel Tank-2	· <u> </u>
		No fuel tank (electrical vehicle)	
	(1)	Metallic	
	(2)	Non-metallic V - qove	
	(9)	Unknown VES PER	
20	Loc	DEALER!	
		BODY 5HG	* -
40.	Loca	ation of Fuel Talik-2	
2		IND THE LOUR	r ayle)
	(1)		. ux.o,
	(0)	t it is a second of the second	r axle)
ŀ	(2)		
	/3\	full markets from	r axle)
	(3)	right side	
	(4)	Forward of center of the rear wheel	s (rear
	٠.,	ayle) centered	
/1	(5)	Forward of center of the rear wheel	s (rear
7	, - ,	axle) left side	
	(6)		s (reai
* .		axle) right side	1.1
	(7)		axie)
	(8)		
· .	(9)	Unknown	
rection			
From 141	l. Da	mage to Fuel Tank-T	-
42	2. Da	mage to Fuel Tank-2	-
"			
1		No damage to fuel tank	
		Deformed, no seam failure	
		Deformed, with a seam failure	
		Punctured	
		Lacerated (ripped)	
į		Abraded (scraped)	
•	,0		
Į	(7)	Filler neck separation from the fuel	tank
		Filler neck separation from the fuel	tank
	35. 36. 36. 37. 38. 39. 40. 41. 5tem 41.	35. Locat 36. Locat (0) (1) (2) (3) (4) (5) (6) (7) (8) (9) 37. Type 38. Type 38. Type 39. Locat 40. Locat (0) (1) (2) (3) (4) (5) (6) (7) (8) (9) (1) (2) (3) (4) (4) (5) (6) (7) (8) (9) (1) (2) (3) (4) (4) (5) (6) (7) (8) (9) (1) (2) (3) (4) (4) (4) (5) (6) (7) (8) (9) (1) (2) (3) (4) (4) (4) (5) (6) (7) (8) (9) (1) (2) (3) (4) (4) (4) (4) (5) (6) (6) (7) (8) (9) (1) (2) (3) (4) (4) (4) (4) (5) (6) (6) (6) (7) (8) (9) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	35. Location of Fuel Tank-1 Filler Cap 36. Location of Fuel Tank-2 Filler Cap (0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear on left side plane (3) Aft of center of the rear wheels (rear on right side plane (4) Forward of center of the rear wheels axle) on left side plane (5) Forward of center of the rear wheels axle) on left side plane (6) Over the center of the rear wheels (reaxle) on right side plane (7) Over the center of the rear wheels (reaxle) on right side plane (8) Other (specify): (9) Unknown 37. Type of Fuel Tank-1 38. Type of Fuel Tank-2 (0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (2) Non-metallic (2) Non-metallic (2) Non-metallic (3) Unknown 39. Location of Fuel Tank-2 (0) No fuel tank (1) Aft of center of the rear wheels (reacentered (2) Aft of center of the rear wheels (rearight side (3) Aft of center of the rear wheels (rearight side (4) Forward of center of the rear wheels (rearight side (5) Forward of center of the rear wheels (rearight side (6) Forward of center of the rear wheels (rearight side (7) Over center of the rear wheels (rearight side (8) Other (specify): (9) Unknown 41. Damage to Fuel Tank-2 (0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, no seam failure (4) Punctured

Netional	Accident	Sampling	System-Crashy	vorthiness	Data S	ystem:	Exterior	Vehicle	Form	1
----------	----------	----------	---------------	------------	--------	--------	-----------------	---------	------	---

43.	Leakage Location of Fuel System-1	47. Is This Vehicle Equipped With More Than Two Fuel Tanks?
44.	Leakage Location of Fuel System-2	(0) No (one or two tanks only)
	(O) No fuel tank	Von Mara Than Two Topks
	(1) No fuel leakage	Yes - More Than Two Tanks (1) Yes no damage to any tank or filler
		cap and no fuel system leakage
	Primary Area Of Leakage	(2) Yes no damage to any tank or filler
	(2) Tank	cap but there is fuel system leakage
	(3) Filler neck	(specify leakage location):
	(4) Cap	(specify leakage location).
	(5) Lines/pump/filter	(3) Yes damage to an additional tank or
	(6) Vent/emission recovery	filler cap and there is fuel system leakage
	(8) Other (specify):(9) Unknown	(specify the following):
	(9) Unknown	Type of tank
		Tank location
45	Fuel Type-1	Filler cap location
75.		Tank damage
46.	Fuel Type-2	Location of leakage
		Type of fuel(9) Unknown if more than two tanks
	Single Fuel Type	(9) Unknown if more than two tanks
	(00) No fuel tank	
	(O1) Gasoline	
	(O2) Diesel	COMMENTS
	(03) CNG (Compressed Natural Gas)	COMMENTS
	(04) LPG (Liquid Petroleum Gas) also	
	known as Propane	
	(05) LNG (Liquid Natural Gas)	
1	(06) Methanol (M100 or M85) (07) Ethanol (E100 or E85)	
	(08) Other (Hydrogen or others) (specify):	
	(OB) Other (Hydrogen of others) (specify).	
	Electric Powered or Electric/Solar	
	Powered Vehicles	
l	(10) Lead Acid Battery	
	(11) Nickel-Iron Battery	
1	(12) Nickel-Cadmium Battery	
l	(13) Sodium Metal Chloride Battery	
	(14) Sodium Sulfur Battery	· ·
	(18) Other (Specify):	
	(98) Other Hybrid (specify):	
	(99) Unknown fuel type	
<u></u>		
	*** CTOD. IF THE CDC ADDI	CARLE VEHICLE WAS NOT TOWED ***

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED ***

(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.

U.S. Department of Transportation


National Highway Traffic Safety Administration

INTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

GLAZING

\sim	GLAZING
1. Primary Sampling Unit Number	Type of Window/Windshield Glazing
2. Case Number - Stratum 140 H	15. WS 16. LF 17. RF 18. LR 19. RR 9
3. Vehicle Number O I	20. BL 9 21. Roof 0 22. Other 2 ←
INTEGRITY	Part of Week
4. Passenger Compartment Integrity (00) No integrity loss Yes, Integrity Was Lost Through (01) Windshield (02) Door (side) (03) Door/hatch (back door)	(0) No glazing (1) AS-1 — Laminated — melded (2) AS-2 — Tempered on death (3) AS-3 — Tempered-tinted (original) (4) AS-2 — Tempered-with after market tint (5) AS-3 — Tempered-tinted (with additional after market tint) (6) AS-14 — Glass/Plastic (7) Glazing removed prior to accident (8) Other (specify):
(O4) Roof (O5) Roof glass	(9) Unknown
(06) Side window	
(07) Rear window (backlight) (08) Roof and roof glass	Window Precrash Glazing Status
(09) Windshield and door (side)	23. WS $\frac{1}{2}$ 24. LF $\frac{9}{2}$ 25. RF $\frac{9}{2}$ 26. LR $\frac{9}{2}$ 27. RR $\frac{9}{2}$
(10) Windshield and roof (11) Side and rear window (side window and backlight) (12) Windshield and side window	28. BL <u>29. Roof 0</u> 30. Other <u>1</u>
(13) Door and side window	(0) No glazing (1) Fixed
(98) Other combination of above (specify):	(2) Closed
(99) Unknown	(3) Partially opened
and to aug	(4) Fully opened (7) Glazing removed prior to accident
damas out bu	(9) Unknown
Door, Tailgate or Hatch Opening where he produced to pull	Glazing Damage from Impact Forces
5. LF <u>3</u> 6. RF <u>9</u> 7. LR <u>0</u> 8. RR <u>3</u> 9. TG/H <u>1</u>	31. WS $\frac{9}{3}$ 32. LF $\frac{9}{3}$ 33. RF $\frac{9}{3}$ 34. LR $\frac{9}{3}$ 35. RR $\frac{9}{3}$
(0) No door/gate/hatch (1) Door/gate/hatch remained closed and operational	36. BL $\frac{9}{2}$ 37. Roof $\frac{9}{2}$ 38. Other $\frac{9}{2}$
(2) Door/gate/hatch came open during collision	(0) No glazing
(3) Door/gate/hatch jammed shut (8) Other (specify):	(1) No glazing damage from impact forces
(9) Unknown	 (2) Glazing in place and cracked from impact forces (3) Glazing in place and holed from impact forces (4) Glazing out-of-place (cracked or not) and not holed from
	impact forces (5) Glazing out-of-place and holed from impact forces
Decree /Feiling Appointed with Dans Tailants as Heath	(6) Glazing disintegrated from impact forces (7) Glazing removed prior to accident
Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 \neq 2, Then code Ø	(9) Unknown if damaged
10. LF <u>O</u> 11. RF <u>O</u> 12. LR <u>O</u> 13. RR <u>O</u> 14. TG/H <u>O</u>	Glazing Damage from Occupant Contact
(0) No door/gate/hatch or door not opened	39. WS $\frac{9}{9}$ 40. LF $\frac{9}{9}$ 41. RF $\frac{9}{9}$ 42. LR $\frac{9}{9}$ 43. RR $\frac{9}{9}$
Door, Tailgate or Hatch Came Open During Collision (1) Door operational (no damage)	44. BL 45. Roof 46. Other 9
(2) Latch/striker failure due to damage(3) Hinge failure due to damage	(1) No occupant contact to glazing
(4) Door structure failure due to damage	(2) Glazing contacted by occupant but no glazing damage
(5) Door support (i.e., pillar, sill, roof side rail,	(3) Glazing in place and cracked by occupant contact (4) Glazing in place and holed by occupant contact
etc.) failure due to damage (6) Latch/striker and hinge failure due to damage	(5) Glazing out-of-place (cracked or not) by occupant
(8) Other failure (specify):	contact and not holed by occupant contact (6) Glazing out-of-place by occupant contact and holed by
(9) Unknown	occupant contact (7) Glazing removed prior to accident (8) Glazing disintegrated by occupant contact
	(9) Unknown if contacted by occupant




LOCATION OF INTRUSION	INTRUE COMPON		COMPARISON VALUE	Meas —	urements Are In C INTRUDED VALUE	Centimeters)	INTRUSION	С	MINANT RUSH ECTION
11	seat back (<u> </u>	0		30	=	30	lo	ng 3
31	seat back	a (L)	0	_	28	=	28		' (()
31	Seat bade		6	_	48	=	48		0
32	<i>)</i>	30	0	_	22	=	22		6
31	cushion	<u> </u>	0		55	=	5 5		0
32	N	30	0	_	19	=	19	1	6
33	11	3 R	0	_	8	=	8	~	9
				_		=			
				_		=			
				_		=			
						=			
				_		=	As do the		
				_		=			
						=			
				_		=			

OCCUPANT AREA INTRUSION Note: If no intrusions, leave variables IV47-IV86 blank. INTRUDING COMPONENT Dominant Interior Components Intrudina Magnitude Crush (01) Steering assembly Location of Component of Intrusion Direction (02) Instrument panel left Intrusion (03) Instrument panel center (04) Instrument panel right 1st 47. 3 | 48. 25 49. 6 50. (05) Toe pan (06) A (A1/A2)-pillar (07) B-pillar (08) C-pillar <u>| 52. 22 53. 5 54. |</u> (09) D-pillar (10) Side panel - forward of the A1/A2-pillar (11) Door panel (side) (12) Side panel - rear of the B-pillar 56. 20 57. 4 58. (13) Roof (or convertible top) (14) Roof side rail (15) Windshield (16) Windshield header 4th 59. 3 | 60. 2 | 61. 3 62. | (17) Window frame (18) Floor pan (includes sill) (19) Backlight header 5th 63. 3264. 2265. 366.(20) Front seat back (21) Second seat back (22) Third seat back (23) Fourth seat back 6th 67. 32 68. 25 69. 3 70. (24) Fifth seat back (25) Seat cushion (26) Back door/panel (e.g., tailgate) (27) Other interior component (specify): 7th 71. 33 72. 25 73. 2 74. Exterior Components (30) Hood (31) Outside surface of this vehicle (specify): 8th 75.___ 76.__ 77.__ 78.___ (32) Other exterior object in the environment (specify): 9th 79.____ 80.____ 81.___ 82.___ (33) Unknown exterior object (97) Catastrophic (98) Intrusion of unlisted component(s) (specify): 10th 83.___ 84.__ 85.__ 86.__ (99) Unknown LOCATION OF INTRUSION MAGNITUDE OF INTRUSION (1) ≥ 3 centimeters but < 8 centimeters Fourth Seat Front Seat (2) \geq 8 centimeters but < 15 centimeters (41) Left (11) Left (3) \geq 15 centimeters but < 30 centimeters (42) Middle (12) Middle (4) \geq 30 centimeters but < 46 centimeters (43) Right (13) Right (5) \geq 46 centimeters but < 61 centimeters (6) ≥ 61 centimeters Second Seat (97) Catastrophic (7) Catastrophic (21) Left (98) Other enclosed (9) Unknown (22) Middle area (specify) (23) Right (99) Unknown DOMINANT CRUSH DIRECTION Third Seat (1) Vertical (31) Left (2) Longitudinal (32) Middle (3) Lateral (33) Right (7) Catastrophic (9) Unknown

		(All	Measurements Are in Centimet	ers)	
COMPARISON	VALUE	<u> </u>	DAMAGE VALUE	=	DEFORMATION
top	0	_	a. <i>o</i>	=	2.0
bottom	0	-	a.5	=	a·5
				=	
		-		=	
					•

STEERING COLUMN	INSTRUMENT PANEL
	0.00
87. Steering Column Type (1) Fixed column (2) Tilt column (3) Telescoping column (4) Tilt and telescoping column (8) Other column type (specify):	92. Odometer Reading
(1) Full up (2) Between full up and center ✓ dwh melted (3) Center (4) Between center and full down (5) Full down (9) Unknown	Source: 93. Instrument Panel Damage from Occupant Contact? (0) No (1) Yes (9) Unknown 94. Type of Knee Bolster Covering (0) No knee bolster
89. Telescoping Steering Column Adjustment (0) No telescoping steering column (1) Full back (2) Between full back and midpoint (3) Midpoint (4) Between midpoint and full forward (5) Full forward (9) Unknown	(1) Padded (2) Rigid plastic (8) Other (specify): (9) Unknown 95. Knee Bolsters Deformed from Occupant Contact? (0) No knee bolster (1) No deformation (2) Yes - deformation (9) Unknown
90. Steering Rim/Spoke Deformation Code actual measured deformation to the nearest centimeter (00) No steering rim deformation (01-14) Actual measured value in centimeters (15) 15 centimeters or more (98) Observed deformation cannot be measured (99) Unknown	96. Did Glove Compartment Door Open During Collision(s)? (0) No glove compartment door (1) No - door did not open (2) Yes - door opened (9) Unknown
91. Location of Steering Rim/Spoke Deformation (00) No steering rim deformation Quarter Sections (01) Section A (02) Section B (03) Section C (04) Section D Half Sections (05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke (09) Complete steering wheel collapse (10) Undetermined location (99) Unknown	97. Adaptive (Assistive) Driving Equipment (0) No adaptive driving equipment (1) Adaptive driving equipment installed (Check all that apply.) [] Hand controls for braking/acceleration [] Steering control devices (attached to OEM steering wheel [] Steering knob attached to steering wheel [] Low effort power steering (unit or device) [] Replacement steering wheel (i.e., reduced diameter) [] Joy-stick steering controls [] Wheelchair tie-downs [] Modification to seat belts (specify): [] Additional or relocated switches (specify): [] Raised roof [] Wall-mounted head rest (used behind wheelchair) [] Other adaptive device (specify): (9) Unknown



compartment, damage to instrument panel structure.

Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

	POIN	TS OF OCC	UPANT CONTACT		
Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical E	Evidence	Confidence Level of Contact Point
151	01	bachlash	shifted backward		2
	01	1	. 0 /	u 095 3	1
		1 125			
			ENTIRE INTERIO	R	
			A		
wheel rim wheel hub/spoke wheel (combination 004 and 005) ransmission ever, other nt elephone or CB quipment(e.g., tape conditioner) ument panel and strument panel and rument panel and mpartment door ster Id including one or the following: front A (A1/A2)-pillar, nt panel, mirror, or assembly (driver) Id including one or the following: front A (A1/A2)-pillar, nt panel, or mirror er side only) Id reinforced by object, (specify):	LEFT SIDE (051) Left side exclude armres (052) Left side armres (053) Left A (054) Left B (055) Other (056) Left side armres (057) Left side armres (058) Left side armres (059) Left side following sill, A or roof (060) Other (101) Right sexclude armres (102) Right sexclude armres (103) Right sexclude armres (104) Right sexclude armres (105) Right sexclude armres (106) Right sexclude armres (107) Right sexclude armres (108) Right sexclude armres (109) Right sexclude armres (109) Right sexclude armres (1010) Other (1010) Right sexclude armres (1011) Other (1011) Other	de interior surface, ing hardware or ts de hardware or t (A1/A2)-pillar pillar left pillar (specify): de window glass de window glass ng one or more of the ng: frame, window (A1/A2)-pillar, side rail. left side object iy): side window glass ng one or more of the ng: frame, window (A1/A2)-pillar, B-pillar, side rail. left side object iy): side window glass nig one or more of the night pillar (specify): side window glass side window glass ing one or more of the ing: frame, window (A1/A2)-pillar, B-pillar, f side rail. right side object	INTERIOR (151) Seat, back support (152) Belt restraint webbing/buckle (153) Belt restraint B-pillar or door frame attachment point (154) Other restraint system component (specify): (155) Head restraint system (160) Other occupants (specify): (161) Interior loose objects (162) Child safety seat (specify): (163) Other interior object (specify): AIR BAG (170) Air bag-driver side (175) Air bag compartment cover-driver side (185) Air bag-passenger side (185) Air bag-passenger side (185) Air bag compartment cover-passenger side (190) Other air bag (specify) (195) Other air bag compartment cover (specify) ROOF (201) Front header (202) Rear header (203) Roof left side rail (204) Roof right side rail (205) Roof or convertible top FLOOR (251) Floor (including toe pan) (252) Floor or console mounted transmission lever, including console (253) Parking brake handle (254) Foot controls including	(301) Backlight (rear (302) Backlight stora door, etc. (303) Other rear objective (303) Other rear objective (303) Other rear objective (401) Hand controls braking/accele (402) Steering controls (303) Steering knob steering wheel (405) Replacement solution (406) Joy stick steer (407) Wheelchair tiele (408) Modification to (504) (409) Additional or reswitches, (504) Raised roof (411) Wall mounted (504) (504) Raised roof (504) Other adaptive (504) Constitution (504)	age rack, ect (specify): VE) DRIVING for ration ol devices EM steering attached to steering wheel diameter) ring controls downs o seat belts, elocated ecify): head rest wheel chair) e device
	Component	Interior Component Contacted No. If Known	Interior Component Contacted Interior Contacted Interior Component Contacted Interior Contacted Interior Component Contacted Interior Surface, excluding hardware or armrest including one or more of the following: frame, window sill, (Osto) Cher right pillar (specify): Interior Contacted Interior Contacted Interior Surface, excluding hardware or armrests Interior Surface, excluding hardware or armrests Interior Contacted Interior Contacted Interior Surface, excluding hardware or armrests Interior Contacted Interior Contacted Interior Contacted Interior Contacted Interior Surface, excluding hardware or armrests Interior Contacted Interior Contacted Interior Surface, excluding hardware or armrests Interior Contacted Interior Contacted Interior Surface, excluding hardware or armrests Interior Contacted Interior Contacted Interior Surface, exc	Interior Component No. If Known Supporting Physical E Known Supporting Physical E Suppor	Interior Component Contacted Known No. If Interior Component Contacted Known Known Supporting Physical Evidence 15 O

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

	If the vehicle has automatic re-	straints available, encode th	e appropriate data on the ba	ck of the previous page.
		Left	Center	Right
	Availability	AU	U	40
F	Evidence of usage	99	00	99
_	Used in this crash?	99	00	00
R S	Proper Use	9	0	0
Ť	Failure Modes	9	0	0
	Anchorage Adjustment	3	0	3
	Availability	4	0	4
6	Evidence of usage	99	00	99
SECO	Used in this crash?	00	00	00
C	Proper Use	0	0	0
N	Failure Modes	0	0	0
D	Anchorage Adjustment		0	<u> </u>
	Availability	Ц	9	4
0	Evidence of usage	99	99	99
Ť	Used in this crash?	00	00	00
H	Proper Use	0	0	0
E R	Failure Modes	. 0	6	0
	Anchorage Adjustment		0	

(0) No (1) Be (2) Sh (3) La (4) La (5) Be Integra (6) Sh de (7) La de (8) Ot	one available elt removed/destroyed houlder belt	(0) (1) (2)	e of Manual (Active) B None used or not ava Belt used properly Belt used properly wir seat Shoulder belt worn un Shoulder belt worn be seat Belt worn around mon person Lap belt worn on abd	ilable th child safety nder arm ehind back or	(0) No s (1) No u shou Adju Anc. (2) In fu (3) In fu (4) In fu (5) Posi	Jpper Anchorage A shoulder belt upper anchorage a ulder belt ustable shoulder B shorage ull up position hid position unknown ition unknown	djustment for
(0) No (1) Be (2) Sh (3) La (4) La (5) Be Integra (6) Sh de (7) La de (8) Ot	Active) Belt System Availability one available elt removed/destroyed houlder belt ap belt ap and shoulder belt elt available - type unknown al Belt Partially Destroyed houlder belt (lap belt estroyed/removed) ap belt (shoulder belt estroyed/removed)	(0) (1) (2) Belt U (3) (4) (5)	None used or not ava Belt used properly Belt used properly wir seat Shoulder belt worn us Shoulder belt worn be seat Belt worn around mosperson	ilable th child safety nder arm ehind back or	(0) No s (1) No u shou Adju Anc. (2) In fu (3) In fu (4) In fu (5) Posi	shoulder belt upper anchorage a ulder belt ustable shoulder B shorage ull up position nid position ull down position ition unknown	djustment for
Integra (6) Sh de (7) La de (8) Ot	al Belt Partially Destroyed houlder belt (lap belt estroyed/removed) ap belt (shoulder belt estroyed/removed)	(3) (4) (5)	Shoulder belt worn us Shoulder belt worn be seat Belt worn around mosperson	ehind back or	(3) In m (4) In fu (5) Posi	nid position ull down position ition unknown	•
(9) Ur			Lap belt or lap and sh used improperly with	noulder belt		known if position her anchorage adju	
Manual (<i>i</i>	(Active) Belt System Use None used, not available, or belt removed/destroyed Inoperable (specify):	(8) (9) ,	seat (specify): Other improper use of system (specify): Unknown				
(03) (04) (05) (08)	Shoulder belt Lap belt Lap and shoulder belt Belt used - type unknown Other belt used (specify):	Accident (0) (1) (2)	No manual belt used No manual belt failur Torn webbing (stretc not included)	or not available e(s) :hed webbing			
(13) (14) (15) (18)	Shoulder belt used with child safety seat Lap belt used with child safety seat Lap and shoulder belt used with child safety seat Belt used with child safety seat - type unknown Other belt used with child safety seat (specify): Unknown if belt used	(3) (4) (5) (6) (7) (8)	Broken buckle or late Upper anchorage sep Other anchorage sep (specify): Broken retractor Combination of abov Other manual belt fa	parated parated ve (specify):			

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left Front	Right Front	Other
F I R S T	Availability/Function	1 ?	21150	0
	Deployment	9	1/9/10	0
	Failure	9	1990	0

Air Bag System Availability/Function

- (0) Not equipped/not available
- (1) Air bag

Non-functional

- (2) Air bag disconnected (specify):
- (3) Air bag not reinstalled
- (9) Unknown

Are There Indications of Air Bag System Failure? (This Occupant Position)

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (9) Unknown

Frontal Air Bag System Deployment (This Occupant Position)

- (0) Not equipped/not available
- (1) Deployed during accident (as a result of impact)
- (2) Deployed inadvertently just prior to accident
- (3) Deployed, accident sequence undetermined
- (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (5) Unknown if deployed
- (7) Nondeployed
- (9) Unknown

Air Bag(s) Deployment, <u>Other</u> Than First Seat Frontal (This Occupant Position)

- (0) Not equipped with an "other" air bag
- (1) Deployed during accident (as a result of impact)
- (2) Deployed inadvertently just prior to accident
- (3) Deployed, details unknown
- (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (5) Unknown if deployed
- (7) Nondeployed
- (9) Unknown

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function	0	0
	Use	0	0
	Туре	0	0
	Proper Use	0	0
	Failure Modes	0	0

Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- (3) Automatic belt use unknown
- (9) Unknown

Automatic (Passive) Belt System Type

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of automatic belt system (specify):
- (9) Unknown

Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other automatic belt failure (specify):
- (9) Unknown

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data for the driver and first seat passenger in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
Type of air bag?		9
Flaps open at tear points?	8	9
Flaps damaged?	8	9
Air bag damaged?	98	99
Source of air bag damage	98	99
Air bag tethered?	8	9
Air bag have vent ports?	8	9
Other occupant contact air bag?	8	9
Occupant wearing eyewear?	8/9	0

Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned (07) Abraded
- (88) Other damage (specify):
- (95) Damaged, details unknown
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)




DRIVER AIR BAG S	SKETCHES (Cont'd)
3. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE) a. Upper Flap width (W _U) width (W _L) height (H _U) height (H _L) H _L H _L W _L	
4. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE	5. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS
6. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS 10 2 9 3 8 4 7 6 5	

PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)



PASSENGER AIR BAC	S SKETCHES (Cont'd)
3. RASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE) a. Flap width (W) height (H) H	4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE) a. Upper Flap width (W _U) height (H _U) H, H, W,
5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE	6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS
7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS 10 11 12 1 2 9 3 8 7 6 5 4	

.

"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES
A CHETCH DAMAGE AND CONTACT FLUIDENCE ON MOTUED!! AND DAG (F and)
1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)
2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)



HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
	Head Restraint Type/Damage	9	0	9
_	Seat Type	01	00	01
F	Seat Performance	0 5	0	9
R S	Seat Orientation		0	1
Ť	Seat Track Position	6	0	6
	Seat Back Incline Pre/Post Impact	99	00	23
	Head Restraint Type/Damage	9	0	9
	Seat Type	01	00	01
S E	Seat Performance	2 9	00	9
CO	Seat Orientation		.0	1
N D	Seat Track Position	١	0	
	Seat Back Incline Pre/Post Impact	99		99
	Head Restraint Type/Damage	0	0	<i>O</i> .
т	Seat Type	03	03	03
ė,	Seat Performance	③* 9	9	9
R	Seat Orientation		1	
D ·	Seat Track Position	01	01	01
	Seat Back Incline Pre/Post Impact		1	
	Head Restraint Type/Damage			
0	Seat Type			
T H	Seat Performance			
E R	Seat Orientation			
••	Seat Track Position			
	Seat Back Incline Pre/Post Impact			

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

3 snifted forward
S Snifted reasoned
O pushed gorward

HEAD RESTRAINTS/SEAT EVALUATION

Head Restraint Type/Damage by Occupant at This Occupant Position Position)

- (0) No head restraints
- (1) Integral no damage(2) Integral damaged during accident
- (3) Adjustable no damage
- (4) Adjustable damaged during accident
- (5) Add-on no damage(6) Add-on damaged during accident
- Other 181 Specify):
- (9) Unknown

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- Bucket (01)
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05)Bench with folding back(s)
- Split bench with separate (06)back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify):
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

Seat Performance (this Occupant

- Occupant not seated or no seat
- No seat performance failure(s)
- Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify):
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify):
- (7) Combination of above (specify):
- (8) Other (specify):
- (9) Unknown

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- Forward facing seat (1)
- Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify):
- (9) Unknown

Seat Track Adjusted Position Prior To Impact

- (0) Occupant not seated or no seat
- (1) Non-adjustable seat track

Adjustable Seat Track

- (2) Seat at forward most track position
- (3) Seat between forward most and middle track positions
- (4) Seat at middle track position
- (5) Seat between middle and rear most track positions
- (6) Seat at rear most track position
- (9) Unknown

Seat Back Incline Prior and Post Impact

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- (12)Moved to rearward midrange position
- Moved to slightly rearward (13)position
- (14)Retained pre-impact position
- Moved to slightly forward (15)position
- Moved to forward midrange (16)position
- (17)Moved to completely forward position


Slightly reclined prior to impact


- Moved to completely rearward position
- (22)Moved to rearward midrange position
- (23)Retained pre-impact postion
- (24)Moved to upright position
- (25)Moved to slightly forward position
- (26)Moved to forward midrange position
- (27)Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32)Moved to rearward midrange position
- (33)Moved to slightly rearward position
- Moved to upright position
- (35)Moved to slightly forward position
- (36)Moved to forward midrange position
- (37)Moved to completely forward position
- (99) Unknown







Coding diagrams for Seat Back Incline Position Prior and Post Impact

Occupant	Number	NA					
Type of Safety	of Child	0					
	Safety Seat	00					
	Safety Seat	00					
	Safety Seat Usage	00					
	Safety Seat Usage	00					
6. Child S Make/l	Safety Seat Model	NA	Specify B	elow for	Each Child Sat	fety Seat	
1. Type o	of Child Safety Se	at	4.	Child S	afety Seat Shie	eld Usage	
(2) To (3) Co (4) Bo	 (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety seat (specify): 		 Child Safety Seat Tether Usage Note: Options Below Are Used for Variables (00) No child safety seat Not Designed with Harness/Shield/Tether (01) After market harness/shield/tether 				ether
(8) Unknown child safety seat type(9) Unknown if child safety seat used2. Child Safety Seat Orientation		added, not used (O2) After market harness/shield/tether (O3) Child safety seat used, but no after					
			harness/shield/tether added				
(00)	No child safety se	at	(09) Unknown if harness/shield/tether added or used				
Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify):			(11) H (12) H	ed With Harnes arness/shield/to arness/shield/to nknown if harr	ether not used ether used		
Design	(09) Unknown orientation Designed for Forward Facing for This Age/Weight			(21) H (22) H	wn If Designed arness/shield/to arness/shield/to nknown if harr	ether not used ether used	
(11) F (12) F	Rear facing Forward facing				nknown if child		
	Other orientation (Unknown orientati		6.		afety Seat Mal y make/model		number)
Age/W (21) F (22) F	wn Design or Orio leight, or Unknow Rear facing Forward facing Other orientation (n Age/Weight					
_	Jnknown orientati						

CHILD SAFETY SEAT FIELD ASSESSMENT

EJECTION/ENTRAPMENT DATA Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.							
EJECTION No [V Yes [] Describe indications of ejection and body parts involved in partial ejection(s):							
(7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown Eiection Medium			(5) Integral structure (8) Other medium (specify): (9) Unknown Medium Status (Immediately Prior to Impact)			—–	
(1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify):			(1) O (2) Cl (3) In	pen osed tegral struc	ture		
	(7) Roof (8) Other a pickup, (9) Unknow (2) Nonfixe (3) Fixed g (4) Nonfixe	(7) Roof (8) Other area (e.g., pickup, etc.) (spe (9) Unknown Ejection Medium (1) Door/hatch/tailgar (2) Nonfixed roof stru (3) Fixed glazing (4) Nonfixed glazing	cher has any indication that an occupal data on the Occupant Assessment F body parts involved in partial ejection (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown Ejection Medium (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify):	cher has any indication that an occupant was eith data on the Occupant Assessment Form. body parts involved in partial ejection(s): (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown Ejection Medium (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (1) Other area (e.g., back of pickup, etc.) (specify): (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown (1) Other area (e.g., back of pickup, etc.) (specify): (1) Other area (e.g., back of pickup, etc.) (specify): (1) Other area (e.g., back of pickup, etc.) (specify):	(7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown Ejection Medium (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (9) Unknown (1) Cosed (3) Integral structore (3) Fixed glazing (specify): (9) Unknown (9) Unknown (1) Open (2) Closed (3) Integral structore (4) Nonfixed glazing (specify):	cher has any indication that an occupant was either ejected from or entrodata on the Occupant Assessment Form. body parts involved in partial ejection(s): (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown Ejection Medium (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (9) Unknown (1) Open (2) Closed (3) Integral structure (3) Integral structure (4) Unknown (5) Unknown (6) Unknown (7) Open (9) Unknown (9) Unknown (9) Unknown	



U.S. Department of Transportation

OCCUPANT ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM National Highway Traffic Safety CRASHWORTHINESS DATA SYSTEM **Administration** OCCUPANT'S SEATING 1. Primary Sampling Unit Number 10. Occupant's Seat Position 2. Case Number - Stratum Front Seat (11) Left side 3. Vehicle Number (12) Middle (13) Right side 4. Occupant Number (14) Other (specify): OCCUPANT'S CHARACTERISTICS (15) On or in the lap of another occupant Second Seat 5. Occupant's Age (21) Left side Code actual age at time of accident. (22) Middle (00) Less than one year old (specify by month): (23) Right side (97) 97 years and older (24) Other (specify): (25) On or in the lap of another occupant (99) Unknown Third Seat (31) Left side (32) Middle 6. Occupant's Sex (33) Right side (1) Male (34) Other (specify): (2) Female-not reported pregnant (35) On or in the lap of another occupant (3) Female-pregnant-1st trimester(1st-3rd month) (4) Female-pregnant-2nd trimester(4th-6th month) Fourth Seat (5) Female-pregnant-3rd trimester(7th-9th month) (6) Female-pregnant-term unknown (41) Left side (9) Unknown (42) Middle (43) Right side (44) Other (specify): (45) On or in the lap of another occupant 7. Occupant's Height (97) In or on unenclosed area Code actual height to the nearest (98) Other seat (specify): centimeter. (99) Unknown (999) Unknown $\frac{70}{100}$ inches X 2.54 = $\frac{177.8}{100}$ centimeters 11. Occupant's Posture 8. Occupant's Weight (0) Normal posture Code actual weight to the nearest kilogram. Abnormal posture (999)Unknown (1) Kneeling or standing on seat (2) Lying on or across seat 206 pounds X .4536 = 093 kilograms (3) Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window 9. Occupant's Role (5) Sitting on a console (1) Driver (6) Lying back in a reclined seat position (2) Passenger (7) Bracing with feet or hands on a surface in front (9) Unknown of seat (8) Other abnormal posture (specify): (9) Unknown

EJEC1	ΓΙΟΝ/ΕΙ	NTRAPMENT
12. Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown	0	15. Medium Status (Immediately Prior To Impact) (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
13. Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown	<u>O</u>	16. Entrapment (0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restrained (2) Could not exit vehicle due to jammed doors, fire, etc. (specify): (9) Unknown 17. Occupant Mobility (0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious or
14. Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (5) Integral structure (8) Other medium (specify): (9) Unknown	<u>0</u>	disoriented (2) Removed from vehicle due to injuries (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (9) Unknown Nephew pulled from car- where pulled from car- still alue or not- drove to have to call for help.


	BELT SYSTE	VI FUNCTION
18.	Manual (Active) Belt System Availability (0) None available (1) Belt removed/destroyed (2) Shoulder halt	22. Shoulder Belt Upper Anchorage Adjustment (0) No shoulder belt (1) No upper anchorage adjustment for shoulder belt
	 (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown 	Adjustable shoulder Belt Upper Anchorage (2) In full up position (3) In mid position (4) In full down position
	Integral Belt Partially Destroyed (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed) (8) Other belt (specify):	(5) Position unknown (9) Unknown if position has adjustable upper anchorage adjustment 23. Automatic (Passive) Belt System Availability/
	(9) Unknown	Function (0) Not equipped/not available
19.	Manual (Active) Belt System Use (00) None used, not available, or belt removed/destroyed	(1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown
	(01) Inoperative (specify): (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt	Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown
	(05) Belt used—type unknown(08) Other belt used (specify):	24. Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use
	 (12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat 	(2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown
	(15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat	(9) Unknown
	(specify): (99) Unknown if belt used	25. Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system (2) Motorized system
20.	Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat	(9) Unknown 26. Proper Use of Automatic (Passive) Belt System
	Belt Used Improperly (3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person	 (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat Automatic Belt Used Improperly
	(6) Lap belt worn on abdomen(7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):	(3) Automatic shoulder belt worn under arm(4) Automatic shoulder belt worn behind back(5) Automatic belt worn around more than
	(8) Other improper use of manual belt system (specify):	one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or
	(9) Unknown	automatic shoulder belt used improperly with child safety seat (specify):
21.	Manual (Active) Belt Failure Modes During Accident (0) No manual belt used or not available (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not	(8) Other improper use of automatic belt system (specify): (9) Unknown
	included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify):	27. Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included)
	(6) Broken retractor (7) Combination of above (specify):	(3) Broken buckle or latchplate(4) Upper anchorage separated(5) Other anchorage separated (specify):
	(8) Other manual belt failure (specify):	(6) Broken retractor (7) Combination of above (specify):
	(9) Unknown	(8) Other automatic belt failure (specify):
		(9) Unknown


F	OLICE REPORTED RESTRAINT USE		AIR BAG SYSTEM FUNCTION
	lice Reported Belt Use None used Police did not indicate belt use Shoulder belt Lap belt Lap and shoulder belt Belt used, type not specified Child safety seat Automatic belt		Frontal Air Bag System Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown
(9 29. Po (0 (1 (2 (3 (4 (9	lice Reported Air Bag Availability/Function No air bag available Police did not indicate air bag availability/function Deployed Not deployed Unknown if deployed	31.	Frontal Air Bag System Deployment (This Occupant Position) (O) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown
B€	or rendered inoperative Vehicle inspection Official injury data Driver/occupant interview Other (specify):	32.	Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown Specify type of "other" air bag present:
			Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown Are There Indications of Air Bag System Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify):
			(9) Hokowa


	FIRST SEAT FRONTAL AIR B	AG SYSTEM EVALUATION
35.	Had Vehicle Been in Previous Accident(s)? (0) Not equipped/not available (1) No previous accidents Yes (2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown	40. Longitudinal Component of + 9 9 8 Delta V For Air Bag - 9 9 8 Deployment Impact (_000) Not equipped/not available Code the value of the delta V for the impact that initiated the air bag deployment (_996) Deployment, unknown longitudinal Delta V (_997) Not deployed (_998) Unknown if deployed (_999) Unknown
36.	Type of Air Bag (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown	41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed (9) Unknown
37.	Had Any Prior Maintenance/Service Been Performed On This Air Bag System? (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify): (9) Unknown	42. Were Air Bag Module Cover Flap(s) Damaged? (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed
38.	Air Bag Deployment Accident Event Sequence Number (00) Not equipped/not available Code the accident event sequence number that initiated the air bag deployment (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown	(8) Unknown if deployed (9) Unknown 43. Was There Damage To The Air Bag? (00) Not equipped/not available (01) Not damaged Yes - Air Bag Damage (02) Ruptured (03) Cut
39.	CDC For Air Bag Deployment Impact (0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify): (6) Deployed, unknown event (7) Not deployed (8) Unknown if deployed (9) Unknown	(04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify): (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown

a c Casarina C	FIRST SEAT FRONTAL AIR BAG SYSTEM		HEAD RESTRAINT AND SEAT EVALUATION
	FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION continued		
	9 (3	49. Head Restraint Type/Damage by Occupant 1 at This Occupant Position
44.	Source of Air Bag Damage 1 2 (00) Not equipped/not available		(0) No head restraints
	(01) Not damaged		(1) Integral—no damage
	(02) Object worn by occupant, (specify):	1	(2) Integral—damaged during accident
	·	_	(3) Adjustable—no damage
	(03) Object carried by occupant, (specify):		(4) Adjustable—damaged during accident
	and the state of the control of the state of	-	(5) Add-on—no damage
	(04) Adaptive/assistive controls, (specify):	Ì	(6) Add-on—damaged during accident (8) Other (specify):
	(05) Fire in vehicle	-	(6) Other (specify).
	(06) Thermal burns		(9) Unknown
	(07) Rescue or emergency efforts		
	(88) Other damage source (specify):		50. Seat Type (this Occupant Position)
			(00) Occupant not seated or no seat
	(95) Damaged, unknown source(96) Deployed, unknown if damaged		(01) Bucket (02) Bucket with folding back
	(97) Not deployed		(03) Bench
	(98) Unknown if deployed		(04) Bench with separate back cushions
	(99) Unknown		(05) Bench with folding back(s)
}		0	(06) Split bench with separate back cushions
45.	Was The Air Bag Tethered?	8	(07) Split bench with folding back(s) (08) Pedestal (i.e., column supported)
	(0) Not equipped/not available		(09) Box mounted seat (i.e., van type)
Ì	(1) No		(10) Other seat type (specify):
	(2) Yes (specify number of tether straps):		
1	(3) Deployed, unknown if tethered		(99) Unknown
1	(7) Not deployed		54 O 4 O 1 Addison (this Occupant Position)
1	(8) Unknown if deployed		51. Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat
1	(9) Unknown	8	(1) Forward facing seat
46.	Did The Air Bag Have Vent Ports?	0	(2) Rear facing seat
	(0) Not equipped/not available		(3) Side facing seat (inward)
1	(1) No		(4) Side facing seat (outward)
	(2) Yes (specify number of vent ports):		(8) Other (specify):
	(3) Deployed, unknown if vent ports present	•	(9) Unknown
1	(7) Not deployed		(Q
	(8) Unknown if deployed		52. Seat Track Adjusted Position Prior To Impact
	(9) Unknown	^	(0) Occupant not seated or no seat (1) Non-adjustable seat track
147	. Was the Air Bag in this Occupant's Position	8	(1) Non adjustable boat track
7'	Contacted by Another Occupant?		Adjustable Seat Track
	(0) Not equipped/not available		(2) Seat at forward most track position
	(1) No √		(3) Seat between forward most and middle track
	(2) Yes (specify):		positions (4) Seat at middle track position
	(3) Deployed, unknown if other occupant cont.	act	(5) Seat between middle and rear most track
	to air bag		positions
	(7) Not deployed		(6) Seat at rear most track position
	(8) Unknown if deployed		(9) Unknown
	(9) Unknown	_	
140	. Was This Occupant Wearing Eye-wear?	8	
48	(0) Not equipped/not available		
	(1) No		
	(2) Eyeglasses/sunglasses		
	(3) Contact lenses		
	(4) Deployed, unknown if eyewear worn		
1	(7) Not deployed(8) Unknown if deployed		
-	(9) Unknown		

	HEAD RESTRAINT AND SEA	AT EVALUATION continued
53.	Seat Back Incline Prior and Post Impact (00) Occupant not seated or no seat (01) Not adjustable	
	Upright prior to impact (11) Moved to completely rearward position (12) Moved to rearward midrange position (13) Moved to slightly rearward position (14) Retained pre-impact position (15) Moved to slightly forward position (16) Moved to forward midrange position (17) Moved to completely forward position	15 14
	Slightly reclined prior to impact (21) Moved to completely rearward position (22) Moved to rearward midrange position (23) Retained pre-impact position (24) Moved to upright position (25) Moved to slightly forward position (26) Moved to forward midrange position (27) Moved to completely forward position	25 24 26 27
	Completely reclined prior to impact (31) Retained pre-impact position (32) Moved to rearward midrange position (33) Moved to slightly rearward position (34) Moved to upright position (35) Moved to slightly forward position (36) Moved to forward midrange position (37) Moved to completely forward position	35 34 36 37
	(99) Unknown	
54	Seat Performance (this Occupant Position) (0) Occupant not seated or no seat (1) No seat performance failure(s) (2) Seat adjusters failed (3) Seat back folding locks or "seat back" failed (specify): (4) Seat track/anchors failed	
	(5) Deformed by impact of occupant(6) Deformed by passenger compartment	
	intrusion, (specify):	
	(7) Combination of above (specify):	
	(8) Other (specify):	
	(9) Unknown	







CHILD SAFETY SEAT					
55.	Child Safety Seat Make/Model OOO) No child safety seat	58. Child Safety Seat Harness Usage			
	Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat	59. Child Safety Seat Shield Usage			
	(997) Other make/model (specify):	60. Child Safety Seat Tether Usage			
	(998) Unknown make/model (999) Unknown if child safety seat used	Note: Options below applicable to Variables OA58-OA60. (00) No child safety seat			
56.	Type of Child Safety Seat				
JJ.	(0) No child safety seat (1) Infant seat	Not Designed With Harness/Shield/Tether (01) After market harness/shield/tether			
	(2) Toddler seat	added, not used (O2) After market harness/shield/tether used			
	(3) Convertible seat	(03) Child safety seat used, but no after market			
	(4) Booster seat - with shield(5) Booster seat - without shield	harness/shield/tether added			
	(7) Other type child safety seat (specify):	(09) Unknown if harness/shield/tether added or used			
	(8) Unknown child safety seat type (9) Unknown if child safety seat used	Designed With Harness/Shield/Tether (11) Harness/shield/tether not used (12) Harness/shield/tether used			
57.	Child Safety Seat Orientation (00) No child safety seat	(19) Unknown if harness/shield/tether used			
	Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify):	Unknown If Designed With Harness/Shield/Tether (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used			
	(09) Unknown orientation	(99) Unknown if child safety seat used			
	Designed For Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify):				
	(19) Unknown orientation				
	Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify):				
	(29) Unknown orientation				
	(99) Unknown orientation (99) Unknown if child safety seat used				
1	•				

	INJURY CONSEQUENCES	
	Injury Severity (Police Rating) (O) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown	63. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	Treatment - Mortality (O) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - nontransported (6) Treatment later (7) Treatment - other (specify): (8) Transported to a medical facility-unknown if treated (9) Unknown	64. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the occupant stayed in hospital. (61) 61 days or more (99) Unknown 65. Working Days Lost Code the number of days (up through 60) that the occupant lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
-	STOP W	ORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

INJURY CONSEQUENCES	TRAUMA DATA
66. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured
67. 1st Medically Reported Cause of Death 68. 2nd Medically Reported Cause of Death	72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units):
69. 3rd Medically Reported Cause of Death Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled	(9) Unknown if blood given 73. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured
disease) (specify):	BELT USE DETERMINATION
70. Number of Recorded Injuries for This Occupant Code the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured	74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): (9) Unknown if belt used

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

OCCUPANT INJURY FORM National Highway Traffic Safety CRASHWORTHINESS DATA SYSTEM Administration

1.	Primary	Sampling	Unit	Number	
----	---------	----------	------	--------	--

3. Vehicle Number

2. Case Number - Stratum

4. Occupant Number

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

	Source of Injury Data	Body Region	Type of Anatomic Structure	A.I.S Specific Anatomic Structure	90 Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
0	fore aler 1st 5./	6. 2	7. <u>9</u> 8	.02	9. <u>0 2</u>	10/	11. 2 12.	004	13. <u>3</u>	14. <u>/</u>	15. <u>60</u>
	bp abe 2nd 18. 1 1	7.2	8. <u>9</u> 19	02	20. 02	21/	22. 8 23.	604	24. <u>3</u>	25. /	26. <u>O O</u>
	Aubdural 3rd 27./ 2			. <u>0 6</u>	31. <u>52</u>	32. <u>4</u>	33. <u>2</u> 34.	004	35. <u>3</u>	36. <u>/</u>	37
	uf ft 4th 38. 1 3	9. <u> </u> 4	io. <u>5</u> 41	.02	42. <u>3</u> 2	43. 4	44. <u>3</u> 45.	006	46. 2	47. <u>/</u>	48. <u>60</u>
	pericar die	um / 0. 4 5	1s. 4 52	.16	53. <u>0</u> 2	54. 2	_{55.} <u>4</u> _{56.}	006	57. <u>2</u>	58/	_{59.} <u>~</u> 0_
	heart fa	1. 4	s2. <u>4</u> 63	. <u>/ 0</u>	64. <u>16</u>	65. <u>6</u>	66. <u>4</u> 67.	806	68. 2	59. <u>/</u>	70. <u>60</u>
	liner lac 7th 71. 1/ 7	2. <u>5</u> 7	73. <u>4</u> 74	. 18	75. 26	76. <u>4</u>	77. / 78.	006	79. <u>2</u> 8	30. <u>/</u>	B1.00
Ta	thardce &	fu) 3. <u>6</u> 8	4. 5 85	. <u>04</u>	86. <u>/6</u>	87. <u>2</u>	88. 7 89.	006	90. 2	n. <u>2</u>	92. <u>6-0</u>
Ts	9th 93 9.	4. <u>6</u> 9	5. <u>5</u> 96	. <u>04</u>	97. <u>/6</u>	98. 2	99. Z 100.	006	101. 2 10	02. 2 10	03.60
	10th 104 10t	5 10	6 107	1	08	109 1	10 111.	1	112 11	3 1	14

				OCC	UPANT"	NJURY	DATA	•:			
	Source of Injury	Body	Type of Anatomic	A.I.S 90 Specific Anatomic	Level of	A.I.S.		Injury	Injury Source Confidence	Direct/ Indirect	Occupant Area Intrusion
	Data	Region	Structure	Structure	Injury	Severity	Aspect	Source	Level	Injury	Number
11th			_								
12th			<u> </u>				<u></u> .				
13th											
14th											
15th											
16th											
17th											
18th											
19th	_										
20th											
21st											
22nd											
23rd	. —						***************************************				
24th											
25th							***************************************				

DIRECT/INDIRECT INJURY

OCCUPANT INJURY CLASSIFICATION Level of Injury **Aspect Specific Anatomic Body Region** Structure Right (1)Specific injuries are Head Left (2)assigned consecutive Face (2)Bilateral (3)two-digit numbers Vessels, Nerves, Organs. (3)Neck (4) Central beginning with 02. Bones, Joints are assigned (4)Thorax (5) Anterior Abdomen consecutive two digit (5)(6)Posterior To the extent possible, numbers beginning with (6) Spine Superior within the organizational (7)**Upper Extremity** 02. (7)(8) Inferior framework of the AIS, 00 **Lower Extremity** (8)is assigned to an injury (9) Unknown The exceptions to this rule (9) Unspecified (0) Whole region NFS as to severity or apply to: where only one injury is given in the dictionary for Whole Area Type of Anatomic (02) Skin - Abrasion that anatomic structure. Structure (04) Skin - Contusion 99 is assigned to any injury NFS as to lesion or Whole Area (06) Skin - Laceration (1)severity. (08) Skin - Avulsion (2) Vessels (10) Amputation Nerves (3) **Abbreviated Injury Scale** Organs (includes (20) Burn (4) Muscles/ligaments) (30) Crush Degloving Minor Injury (5) Skeletal (includes (40)Injury - NFS Moderate Injury (2)joints) (50)(90) Trauma, other than (3) Serious Injury Head - LOC (6)Severe Injury mechanical (4)(9)Skin Critical Injury (5) (6)Maximum Head - LOC (untreatable) (02) Length of LOC (7)Injured, unknown (04) Level severity (06) of (08) Consciousness (10) Concussion **Spine** (02) Cervical (04)Thoracic (06) Lumbar

CONFIDENCE LEVEL OFFICIAL RECORDS Direct contact injury (1) Certain (1) (1) Autopsy records with or (2) Indirect contact injury (2) Probable without hospital/medical (3) Possible (3) Noncontact injury records (2) Hospital/medical records other (7) Injured, unknown source (9) Unknown than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic UNOFFICIAL RECORDS (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): (9) Police


INJURY SOURCE


SOURCE OF INJURY DATA

			INJURY	SUUR	CES		<u> </u>
FRON		(102)	Right side hardware or	(183)	Air bag-passenger side and	(411)	Wall mounted head rest
(001)	Windshield		armrest		object held		(used behind wheel chair)
(002)	Mirror	(103)	Right A (A1/A2)-pillar	(184)	Air bag-passenger side and	(412)	Other adaptive device
(003)	Sunvisor	(104)	Right B-pillar		object in mouth		(specify):
(004)	Steering wheel rim	(105)	Other right pillar (specify):	(185)	Air bag compartment		
(005)	Steering wheel hub/spoke				cover-passenger side		
(006)	Steering wheel (combination	(106)	Right side window glass	(186).	Air bag compartment	EXTER	RIOR of OCCUPANT'S
	of codes 004 and 005)		Right side window frame		cover-passenger side and	VEHIC	
(007)	Steering column,		Right side window sill		eyewear		Hood
,,	transmission selector lever,		Right side window glass	(187)	Air bag compartment		Outside hardware (e.g.,
	other attachment	(100)	including one or more of the	(107)	· · · · · · · · · · · · · · · · · · ·	(432)	outside mirror, antenna)
, nn e s	Cellular telephone or CB		following: frame, window		cover-passenger side and	(4E2)	·
(000)	•		•		jewelry	(453)	Other exterior surface or
	radio		sill, A (A1/A2)-pillar, B-pillar,	(188)	Air bag compartment		tires (specify):
(009)	Add on equipment (e.g.,		or roof side rail.		cover-passenger side and		
	tape deck, air conditioner)	(110)	Other right side object		object held		
(010)	Left instrument panel and		(specify):	(189)	Air bag compartment	(454)	Unknown exterior objects
	below				cover-passenger side and		
(011)	Center instrument panel and				object in mouth	EXTER	RIOR OF OTHER MOTOR
	below	INTER	IOR	(190)	Other air bag (specify)	VEHIC	LE
(012)	Right instrument panel and	(151)	Seat, back support	•	5 · , · , · · · · · · · · · · · · · · · · · · ·		Front bumper
	below		Belt restraint	(195)	Other air bag compartment		Hood edge
(013)	Glove compartment door	,/	webbing/buckle	, . 55/	cover (specify)		Other front of vehicle
	Knee bolster	(153)	Belt restraint B-pillar or door		COVER (Specify)	(303)	
		(133/	·				(specify):
(015)	Windshield including one or		frame attachment point				
	more of the following: front	(154)	Other restraint system	ROOF		(504)	Hood
	header, A (A1/A2)-pillar,		component (specify):	(201)	Front header	(505)	Hood ornament
	instrument panel, mirror, or			(202)	Rear header	(506)	Windshield, roof rail, A-pilla
	steering assembly (driver	(155)	Head restraint system	(203)	Roof left side rail	(507)	Side surface
	side only)	(160)	Other occupants (specify):	(204)	Roof right side rail	(508)	Side mirrors
(016)	Windshield including one or			(205)	Roof or convertible top	(509)	Other side protrusions
	more of the following: front	(161)	Interior loose objects		•		(specify):
	header, A (A1/A2)-pillar,		Child safety seat (specify):	FLOOI	3		(10)
	instrument panel, or mirror	(cime colory court (opochy).			/E10\	Rear surface
		(162)	Other interior object		Floor (including toe pan)		
	(passenger side only)	(163)		(252)	Floor or console mounted		Undercarriage
(017)	Windshield reinforced by		(specify):		transmission lever, including		Tires and wheels
	exterior object (specify)				console	(513)	Other exterior of other
				(253)	Parking brake handle		motor vehicle (specify):
(019)	Other front object (specify):	AIR BA	AG	(254)	Foot controls including		
		(170)	Air bag-driver side		parking brake		
		(171)	Air bag-driver side and			(514)	Unknown exterior of other
LEFT S	SIDE		eyewear	REAR			motor vehicle
(051)	Left side interior surface,	(172)	Air bag-driver side and	(301)	Backlight (rear window)		
	excluding hardware or		jewelry		Backlight storage rack,	OTHE	R VEHICLE OR OBJECT IN
	armrests	(173)	Air bag-driver side and	(302)	•		
(AE 2)		(173)		(200)	door, etc.		NVIRONMENT
(002)	Left side hardware or	, 4 7 41	object held	(303)	Other rear object (specify):		Ground
	armrest	(1/4)	Air bag-driver side and			(598)	Other vehicle or object
	Left A (A1/A2)-pillar		object in mouth				(specify):
	Left B-pillar	(175)	Air bag compartment	ADAP	TIVE (ASSISTIVE) DRIVING		
055)	Other left pillar (specify):		cover-driver side	EQUIP	MENT	(599)	Unknown vehicle or object
		(176)	Air bag compartment	(401)	Hand controls for		
(056)	Left side window glass		cover-driver side and		braking/acceleration	NONC	ONTACT INJURY
	Left side window frame		eyewear	(402)	Steering control devices		Fire in vehicle
	Left side window sill	(177)	Air bag compartment		(attached to OEM steering		Flying glass
	Left side window glass		cover-driver side and jewelry		wheel)		Other noncontact injury
2301	including one or more of the	(170)	Air bag compartment	1400		(603)	<u>=</u> '
	-	(1/0)	• • • • • • • • • • • • • • • • • • • •	(403)	Steering knob attached to		source
	following: frame, window		cover-driver side and object		steering wheel	1	(specify):
	sill, A (A1/A2)-pillar, B-pillar,	,	held	(405)	Replacement steering wheel	(604)	Air bag exhaust gases
	or roof side rail.	(179)	Air bag compartment		(i.e., reduced diameter)	(697)	Injured, unknown source
060)	Other left side object		cover-driver side and object	(406)	Joy stick steering controls		
	(specify):		in mouth	(407)	Wheelchair tie-downs		
		(180)	Air bag-passenger side		Modification to seat belts,		
			Air bag-passenger side and		(specify):		
	SIDE	, ,	eyewear	(Ana)	Additional or relocated		
RIGHT	- · - -		-,	·+031	Additional Of Talocated		
	Right side interior surface	(1921	Air hag-naccanges side and		assidehan Januaritat.		
	Right side interior surface,	(182)	Air bag-passenger side and		switches, (specify):		
RIGHT (101)	Right side interior surface, excluding hardware or armrests	(182)	Air bag-passenger side and jewelry		switches, (specify): Raised roof		

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ALL INJURIES FROM AUTOPSY





OFFICIAL	INJURY	DATA -	- SKELETAL	INJURIES

Restrained?

-No NR

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

AUTURIES FROM AUTORS Y

Blood Alcohol Level (mg/dl)

BAL = 1

Odrugo

Glasgow Coma Scale Score

GCSS =

Deodata

Units of Blood Given

Units = ___

Arterial Blood Gases


pH =

PO₂=

PCO,

HCO₃

Dend




PARTIALLY DISPLACED FLEXION FX'S OF THE SPINE AT THE -2 NO +3 RO THORACIE VERTEBRAE

OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ALL INJURIES FROM LUTOPSY





1906

U.S. Department of Transportation

CRASHPC PROGRAM SUMMARY

lational Highway Traffic Safe Administration	ty		(All Me	asurements in Metric			SAMPLING SYS
Identifying Title							
02	14	0	H	<u>03</u>			<u>95</u>
Primary Sampling Unit	Case No	oStratum	١	Accident Event Sequence No.	Date (Month, da	ay, year) of	Run
CRASHPC Vehicle Ide						_	
Vehicle 1	1993		CHRYSI	LER	TOWN + COUNT	RY	
Vehicle 2					BARRIER	<u>_</u> '	
	Year		٨	Make	Model		NASS Veh. No.
			GENERA	L INFORMA	TION ·		
,	VEHICLE I				VEHICLE 2	2	21
Size		<i>~</i> '	s - 5	Size			<u> </u>
Weight		19	95	— Weight	· ·		
1361 + 74 +_	15_=_	19:	<u>50 </u>	٠ <u>-</u>	+ _+=_=		k
	Cargo	V 1	- \ 2	Curb	Occupant(s) Cargo		
CDC	LaF	· + - [E W 3	_		+	
PDOF (-180 to +180))	<u> </u>	2 1 0	_	(-180 to +180)	<u> </u>	
Stiffness				<u>/</u> Stiffnes	SS		
			SCENE	INFORMAT	ION		
Rest and Impact Posi-	tions []	No. Go	. 414	Argina are falle language en e			
•	VEHICLE 1	140, 55	70 Daning.	c mannengus.	VEHICLE :	2	
Rest	X		. (m Rest	X		. 1
Position .	Υ			Positior m			
	PSI			0	PSI		
1	V						
Impact Position	X			m Impact Positior	n –		·
	Υ			m 。	Υ _		· r
CU: A==I=/ 190 to L	PSI				PSI		
Slip Angle(-180 to +	180)	<u></u>	VEU	Slip An	ngle (-180 to +180)		
			VEGU	CLE MOTIO	N		
Sustained Contact [] Yes					
V	/EHICLE 1				VEHICLE :	2	
Vehicle Rotation		[] No	o []Yes	s Vehicle	Rotation	[] N	o [] Ye
Rotation Stop Bef	fore Rest	[] No) [] Ye	s Rot	tation Stop Before Rest	[] N	o []Ye
End of Rotation	X		r	m End	d of Rotation X		. 1
Position	Υ			Pos m	sition Y		
	PSI			0	PSI		
O J Dath		() Ne	-	- Comme	t Provide	r 1 ht	
		[] No	y [] Yes	s Curved	int on Path	[] N	o [] Ye:
Curved Path Point on Path				D - :			

FRICTION	INFORMATION:	TRAJECTOR	Y INFORMATION	
		Trajectory Data []	No [] Yes	
Coefficient of Friction	·	If No, Go To Damage	•	
Rolling Resistance Opt		Vehicle 1 Steer Angle	e	
Vehicle 1 Rolling F	Resistance	LF		0
	RF	LR	° RR	
	RR			
		Vehicle 2 Steer Angle	s	
Vehicle 2 Rolling F	Resistance	LF	° RF	°
	RF	LR		
LR	RR			
		Terrain Boundary [No []Yes	
		First Point		
		X m	Y	m
		Second Point		
		Xm	Y	m
		Secondary Coefficien	t of Friction .	
	DAMAGE IN	IFORMATION		
V	EHICLE 1	V	EHICLE 2	
Damage Length	L <u>157</u> cm	Damage Length	L	cm
Crush Depths	C 36	Crush Depths	C,	cm
4	C, 59 cm		C ₂	cm
	C, 59 cm		C ₃	cm
	C, <u>55.5</u> cm		C	cm
	C, 29 cm		C ₅	cm
	C ₆ 4 cm		C ₆	cm
Damage Offset	D (-) 32.5 cm	Damage Offset	D ±	cm
John dig 5	<u> </u>	-		
IF THIS COMMON IN	IPACT WAS WITH A MOTOR VEHICL	E NOT IN TRANSPORT, FILE	IN THE INFORMATION	BELOW.
Magal Vaar:		The Weight, CDC, Scer	ne Data and Damage In	formation
		for this vehicle should		
VIN:				
VIN:				
	and ATTACH the appropriate vehic	cle damage sketch and din	nensions to the Form.	

INPUT CALCULATE TRAJECTORY OUTPUT GRAPHICS EXIT

SUMMARY OF CRASHPC RESULTS USING DAMAGE

02 140a arr

SPEED CHANGE (DAMAGE)

VEHICLE #1

TOTAL 46 KPH (29 MPH)
LONGITUDINAL -46 KPH (-28 MPH)
LATITUDINAL -8 KPH (-5 MPH)
PDOF ANGLE 10 DEGREES

ENERGY DISSIPATED = 211988 JOULES (156333 FT-LB)

VEHICLE #2

TOTAL O KPH (O MPH)
LONGITUDINAL O KPH (O MPH)
LATITUDINAL O KPH (O MPH)
PDOF ANGLE O DEGREES

ENERGY DISSIPATED = 0 JOULES (0 FT-LB)

PRESS ANY KEY TO CONTINUE

INPUT CALCULATE TRAJECTORY OUTPUT GRAPHICS EXIT

VEHICLE #1

VEHICLE #2

SIZE CATEGORY	5	11
STIFFNESS CATEGORY	7	O
VEHICLE WEIGHT	1995 KGS (4398 LBS)	***** KGS (2204586 LBS) *
CDC	12FYEW3	BARRIER
PDOF ANGLE	10 DEGREES	O DEGREES *
CRUSH LENGTH	157 CM. (62 IN.)	0 CM. (0 IN.) *
Ci	37 CM. (15 IN.)	0 CM. (0 IN.) *
C2	59 CM. (23 IN.)	0 CM. (0 IN.) *
C3	59 CM. (23 IN.)	0 CM. (0 IN.) *
C4	56 CM. (22 IN.)	O CM. (O IN.) *
C5	29 CM. (11 IN.)	0 CM. (0 IN.) *
C6	4 CM. (2 IN.)	0 CM. (0 IN.) *
$\mathbf{D}_{\mathbf{q}}$	-32 CM. (-13 IN.)	0 CM. (0 IN.) *
D*	-44 CM. (-17 IN.)	0 CM. (0 IN.) *

(* INDICATES DEFAULT VALUE)
PRESS ANY KEY TO CONTINUE

INPUT CALCULATE TRAJECTORY OUTPUT GRAPHICS EXIT


DIMENSIONS AND INERTIAL PROPERTIES

VEHICLE #1

VEHICLE #2

		V toma I I do 'em' departure I I alon
CG TO FRONT AXLE	142 CM. (56 IN.)	127 CM. (50 IN.)
CG TO REAR AXLE TRACK	160 CM. (63 IN.) 162 CM. (64 IN.)	127 CM. (50 IN.)
CG TO FRONT OF VEH	259 CM. (102 IN.)	127 CM. (50 IN.) 127 CM. (50 IN.)
CG TO REAR OF VEH	-310 CM. (-122 IN.)	-127 CM. (-50 TN.)
MOMENT OF INERTIA	20956 KGS (46200 LBS)	127 CM. (50 IN.) ***** KGS (***** LBS)
VEHICLE MASS	5 KGS (11 LBS)	2600 KGS (5732 LBS)

PRESS ANY KEY TO CONTINUE



SUMMARY OF CRASHPC RESULTS USING DAMAGE

PO2 CASE 140A - VEHICLE #1 - BARRIER -- BUCHNER

SPEED CHANGE (DAMAGE)

VEHICLE #1

TOTAL 47 KPH (29 MPH)
LONGITUDINAL -46 KPH (-29 MPH)
LATITUDINAL -8 KPH (-5 MPH)
PDOF ANGLE 10 DEGREES

ENERGY DISSIPATED = 210785 JOULES (155446 FT-LB)

VEHICLE #2

TOTAL O KPH (O MPH)
LONGITUDINAL O KPH (O MPH)
LATITUDINAL O KPH (O MPH)
PDOF ANGLE O DEGREES

ENERGY DISSIPATED = 0 JOULES (0 FT-LB)

DAMAGE DATA

VEHICLE #1


VEHICLE #2

SIZE CATEGORY STIFFNESS CATEGORY	5 7	1 1 O				
VEHICLE WEIGHT	1950 KGS (4299 LBS)	***** KGS (2204586 LBS) * BARRIER				
CDC PDOF ANGLE	12FYEW3 10 DEGREES	O DEGREES *				
CRUSH LENGTH	157 CM. (62 IN.)	0 CM. (0 IN.) *				
C:1	37 CM. (14 IN.)	0 CM. (0 IN.) *				
C2	59 CM. (23 IN.)	O CM. (O IN.) *				
C3	59 CM. (23 IN.)	0 CM. (0 IN.) *				
C4	55 CM. (22 IN.)	0 CM. (0 IN.) *				
C5	29 CM. (11 IN.)	0 CM. (0 IN.) *				
C6	4 CM. (2 IN.)	0 CM. (0 IN.) *				
D	-32 CM. (-13 IN.)	0 CM. (0 IN.) *				
D'	-44 CM. (-17 IN.)	0 CM. (0 IN.) *				

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE	142 CM. (56 IN.)	127 CM. (50 IN.)
CG TO REAR AXLE	160 CM. (63 IN.)	127 CM. (50 IN.)
TRACK	162 CM. (64 IN.)	127 CM. (50 IN.)
CG TO FRONT OF VEH	259 CM. (102 IN.)	127 CM. (50 IN.)
CG TO REAR OF VEH	-310 CM. (-122 IN.)	-127 CM. (-50 IN.)
CG TO SIDE OF VEH	101 CM. (40 IN.)	127 CM. (50 IN.)
MOMENT OF INERTIA	20484 KGS (45158 LBS)	***** KGS (***** LBS)
VEHICLE MASS	5 KGS (11 LBS)	2600 KGS (5732 LBS)



```
02140A00000011 358.05000000000113300010004 35995
                                                            96 95024520000
 00182000004462605 0301
02140A00010012 558.051000000000120R42000
                 🔭 958.0510000000000120R42000
02140A00020012 958.051000000000120R42000
02140A00030012 58.051000000000120F42000
 02140A00040012
                  958.0510000000000120N3300N
                    8.05 000000009306441201C4GK54R3PX 1999089900011
 02140A01000021
 0234211000991413991401
                    8.05 0000000001010113019100200000000099899801101046-046-00
 02140A01000022
 82119998104602
 02140A01000031
                    8.05 00000000034212FYEW03024212RZAS03157037059059056029004-
                            15704930315511024409050909001000
 033
                    02140A01000041
 02140401000042
                    8.05 00000000312561312251112041312131322231322531332521
              999030999999990
                    8.05 00000000661168093111900000999999300000015009999988 99
 02140A01010051
 8889898888901169950000000000041000620106000009011019
 02140A01010161
                    8.05 0000000001290202120043100
 02140A01010261
                    8.05 0000000001290202180043100
 02140A01010361
                    8.05 0000000001140652420043100
                    8.05 0000000001450232430062100
 02140A01010461
 02140A01010561
                   18.05 0000000001441602240062100
 02140A01010661
                    8.05 0000000001441016640062100
--02140801010761------8<del>.</del>-05-0600600001541826410062100-
 02140A01010861
                    8.05 0000000001650416270062200
                    8.05 0000000001650416270062200
 02140A01010961
 02140A00000066
                    8.05 000000000MINIVAN VS. TREES/FIRE
 02140A00000171
                    8.05 000000000
                                      Vehicle #1 traveling west on two lane und
 ivided roadway negotiating
 02140A000000271
                    8.05 000000000 a curve to the left with a negative grade.
 ehicle #1 drives off right
 02140A00000371
                    8.05 000000000 side of roadway swiping 2 trees with right si
 de and then striking a large
 02140A00000471
                    8.05 000000000 tree with front of vehicle. Vehicle then cat
 ches fire and is destroyed.
                    8.05 000000000 Vehicle #1 was towed due to damage.
 02140A00000571
                                                                      Operator
 was fatally injured.
 02140A00000181
                    8.05 0000000001
                                                   93 Chrysler
                                    minivan
 02140A000000281
                    8.05 000000000
                                                   Town and County
                                                                       front
               fire ?
    severe
 02140A00000381
                    8.05 000000000
               unknown
02140A00000191
                    8.05 0000000001
                                             1/front
                                                                    heart
                                    driver
                                                       unknown
           6 steering wheel
000000000000002
```

INTRA ERRORS

EE1211	2	***** THIS	IS A	SPECIAL INTEREST CASE FOR NHTSA	***
EE1212		****	THIS	CASE SHOWS A VEHICLE FIRE.	****
FF1213		FIRE OCCURRENCE	EV33	equals 1 or 2.	

BEST AVAILABLE COPY

OCCUPANT ASSESSMENT Vehicle: 1 Occupant: 1

INTRA ERRORS

HH0191	2	If OCCUPANT POSITION DAID equals !1 or 13 and AUTOMATIC BEL!	ľ
HH0192		AVAILABILITY OA23 does not equal 2, then MANUAL BELT	
HH0193		AVAILABILITY OA18 should equal 3 or 4.	

INTER ERRORS

	If TYPE OF INSPECTION GV67 equals 2 or 3, then SOURCE OF BELT USE OA74 should equal 1. GV=01 OA=01
EH0011 EH0012	If TREATMENT OA62 equals 1, then 1st DEFORMATION EXTENT EV11 should be greater than O3. GV=01 OA=01

PSU02 CASE 140A

CURRENT VERSION: 8.05

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	(*)	0	0	Y
General Vehicle	Ō	Ō	Ō	Υ
Vehicle Exterior	Ö	0	1	Υ
Vehicle Interior	O	()	0	Υ
Occupant Assessment	t O	0	1	Υ
Occupant Injury	O	O	O	Υ
Total Inter Errors		0	2	
Total Case Errors	\circ	O	c‡	



U.S. Department of Transportation

National Highway Traffic Safety Administration

SLIDE INDEX

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary Sampling Unit Number <u>0</u> <u>2</u> Case Number – Stratum <u>1 4 0 A</u>					
Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter		
1-60	1	WEST	APPROACH VI		
7-8	1	WEST	APOI # 1		
9	1	WEST	VI CONTINS		
10	1	WEST	APOI #2		
11 -	1	WEST	V1 CONTINS		
12-13		WEST	UPOI #3 VEHICLE BURNS AT FR		
14-22	1	EAST	BACK ALONG PATH		
23-60			EXTERIOR VI		
61-100		_	INTERIOR VI		
		į			

Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter
P. 1992			
······································			
· .			





PSU 02-140A (1995) #2 Best Available



40A (1995) #3







IOA (1995) #



PSU 02-140A (1995) #7 Best Available



Rest Available









Best Available



wailable



02-140A (1995) #14 Best Available



A (1995) #15



2-140A (1995) #16 est Available



PSU 02-140A (1995) #17 Best Available



PSU 02-140A (1995) #18 Best Available





PSU 02-140A (1995) #20 Best Available



Available







DA (1995) #24



PSU 02-140A (1995) #2











1995) #30







PSU 02-140A (1995) #33









40A (1995) #3





PSU 02-140A (1995) #









PSU 02-140A (1995) #43



PSU 02-140A (1995) #44 Rest Available



IA (1995) #4



-14UA (1995) #





40A (1995) #4











Best Available







OA (1995) #56





PSU 02-140A (1995) #58



PSU 02-140A (1995)



OA (1995) #





PSU 02-140A (1995) #6









PSU 02-140A (1995) #6



OU (1999) HO



IUA (1995) #



40M (1990) EO











PSU 02-140A (1995) #74







140A (1995) #77





10A (1995) #7







PSU 02-140A (1995) #8



IA (1993) #62 Ivailable



(1000) H



A (1995) #85





PSU 02-140A (1995) #8 Best Available



I 02-140A (1995) #88



I2-140A (1995) #89



A (1995) #90









PSU 02-140A (1995) #94



Best Available









